

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/537,938	10/27/2005	Olof Melander	B&LAB 3.3-019	8639
530	7590 11/13/2007		EXAMINER	
LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK 600 SOUTH AVENUE WEST WESTFIELD, NJ 07090		COOLE ART UNIT	COOLEY, C	HARLES E
			ART UNIT	PAPER NUMBER -
WESTFIELD, NJ U	NJ 07090		1797	
			•	
		•	MAIL DATE	DELIVERY MODE
			11/13/2007	PAPER '

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/537,938	MELANDER ET AL.			
Office Action Summary	Examiner	Art Unit			
	Charles E. Cooley	1797			
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet w	ith the correspondence address			
A SHORTENED STATUTORY PERIOD FOR REF	U V IS SET TO EXPIRE	MONTH(S) OR THIRTY (30) DAYS			
WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perions - Failure to reply within the set or extended period for reply will, by state that the period for reply will, by state that the period for reply will, by state that the material patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNI 1.136(a). In no event, however, may a od will apply and will expire SIX (6) MOI tute, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 10	<u>)/27/05</u> .				
2a) ☐ This action is FINAL . 2b) ☐ T	This action is FINAL . 2b) This action is non-final.				
· · ·					
closed in accordance with the practice unde	er <i>Ex parte Quayl</i> e, 1935 C.[D. 11, 453 O.G. 213.			
Disposition of Claims					
4)⊠ Claim(s) <u>34-53</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withd	4a) Of the above claim(s) is/are withdrawn from consideration.				
5)⊠ Claim(s) <u>34-53</u> is/are allowed.					
6) Claim(s) is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and	d/or election requirement.				
Application Papers					
9) The specification is objected to by the Exami	iner.				
10)⊠ The drawing(s) filed on <u>08 June 2005</u> is/are: a)⊡ accepted or b)⊠ objected to by the Examiner.					
Applicant may not request that any objection to the					
Replacement drawing sheet(s) including the corr					
11) The oath or declaration is objected to by the	Examiner. Note the attache	d Office Action or form P10-152.			
Priority under 35 U.S.C. § 119					
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)⊠ All b)□ Some * c)□ None of:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the p		received in this National Stage			
application from the International Bur		t received			
* See the attached detailed Office action for a list of the certified copies not received.					
		•			
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No	(s)/Mail Date			
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5)	Informal Patent Application			

10/537,938 Art Unit: 1797

OFFICE ACTION

1. This application has been reassigned to Technology Center 1700,

DIVISION 7: Art Unit 1797 and the following will apply for this application:

Please direct all written correspondence with the correct application serial number for this application to **Art Unit 1797**.

Telephone inquiries regarding this application should be directed to the Electronic Business Center (EBC) at http://www.uspto.gov/ebc/index.html or 1-866-217-9197 or to the Examiner at (571) 272-1139. All official facsimiles should be transmitted to the centralized fax receiving number 571-273-8300.

Priority

2. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d). All of the CERTIFIED copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

Information Disclosure Statement

3. Note the attached PTO-1449 forms submitted with the Information Disclosure Statements filed 8 JUN 2005, 27 OCT 2005, and 21 DEC 2006

Drawings

4. The drawings are objected to because of the following informalities:

Application/Control Number: Page 3

10/537,938 Art Unit: 1797

a. the drawing Figures 6A-6D lack appropriate reference characters and lead lines to identify the illustrated elements (37 CFR 1.84(p)(q)).

Correction is required.

5. Applicant should verify that (1) all reference characters in the drawings are described in the detailed description portion of the specification and (2) all reference characters mentioned in the specification are included in the appropriate drawing Figure(s) as required by 37 CFR 1.84(p)(5).

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement figures which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments, or remarks, section of the amendment. Any replacement drawing sheet must be identified in the top margin as "Replacement Sheet" (37 CFR 1.121(d)) and include all of the figures appearing on the immediate prior version of the sheet, even though only one figure may be amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin.

Annotated Drawing Sheets

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheets must be clearly labeled as "Annotated Marked-up Drawings" and accompany the replacement sheets.

Timing of Corrections

Application/Control Number:

10/537,938 Art Unit: 1797

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

Specification

- 6. The specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.
- 7. This application does not contain an abstract of the disclosure as required by 37 CFR 1.72(b). An abstract on a separate sheet is required.
- 8. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed (MPEP 606.01).

Allowable Subject Matter

- 9. Claims 34-53 are allowable over the prior art of record.
- 10. The following is an Examiner's statement of reasons for the indication of allowable subject matter:

The prior art of record does not teach or fairly suggest a mixing apparatus with the recited configuration of the rotor, flow-restraining disk, second feeder comprising a distribution element integrated with the rotor body, and rotor pins.

Application/Control Number:

10/537,938 Art Unit: 1797

Conclusion

11. This application is in condition for allowance except for the formal matters outlined above.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The cited prior art discloses mixers employed for pulp suspensions.

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Cooley in Art Unit 1797 whose telephone number is (571) 272-1139. The examiner can normally be reached on Mon-Fri. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/537,938

Art Unit: 1797

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/CEC/

Charles E. Cooley

Examiner

DIVISION 7: Art Unit 1797

8 November 2007